

## 6" Rugged Windows 10 Handheld PC



### Hardware

CPU	Type	Intel Cherrytrail(Quad-core ), Z8350 , 1.44Ghz-1.92Ghz
GPU	Type	Intel HD Graphic(Gen7)
Storage	Capacity	2GB DDR3L , 32GB ROM
Camera	Front 2.0Mp , back 5.0Mp	
Speaker	Size	Build in 8Ω/0.8W waterproof speaker x 1
G-sensor	Built-in	Gravity acceleration sensor
GPS	Built-in	GPS, GLONASS, A-GPS
LCD	Screen (Device) Size	5.98", 16:9 (ca. Maße in mm: 185x95x21)
	Resolution	720*1280, 720P, IPS screen
	Brightness	430 Nit
Bluetooth	Built-in	BT4.0
Battery	Built-in	5000mAh

### Netzwerkverbindungen

3G	Built-in	WCDMA(900/2100MHz) GSM (900/1800MHz) , HSDPA 7.2Mbps, HSUPA 5.76 Mbps
WIFI	WIFI module	WIFI 802.11a/b/g/n/ac(2.4G + 5.8G)+BT 4.0

### Schnittstellen

Memory card socket	External memory	Support SDHC/SDXC, Support Extend up to 64GB
USB interface	Data transfer supportive	USB 2.0
Keyboard	Input device	Wired / Wireless Supportive
USB patch cord	Standard Configuration	Support HOST

### Software

Operating System	Operating system version	Windows 10 IoT
	Language	Multi-language supportive
	HTML5	Supportive
Standard Accessory	DC charger, Hand Strap, USB cable	

### Optionale Hardware

2D Barcode Scanner	optical position	Honeywell N3680 hard decode, Optical resolution:5mil,scan speed:50times/s, supportive decode:PDF417, MicroPDF417, Data Matrix, Data Matrix Inverse Maxicode,QR Code, MicroQR, QR Inverse,Aztec,Aztec Inverses,Han Xin,Han Xin Inverse
NFC	RF Frequency	13.56MHz support 14443A/14443B/15693/18092
	Main function	NXP NFC 13.56MHz support under ISO/IEC 14443A/14443B/15693/18092/mifare protocol. Card reading distance : 4cm
Ladestation		

Unsere Preise und weitere Konfigurationen (Displaygrößen und -auflösungen, Speichererweiterungen, verfügbare Drucklösungen usw.) teilen wir Ihnen gern auf Anfrage mit.

## 8" Rugged Windows 10 Tablet PC



### Hardware

CPU	Type	Intel Cherrytrail(Quad-core ), Z8350 , 1.44Ghz-1.92Ghz
GPU	Type	Intel HD Graphic(Gen7)
Storage	Capacity	2GB DDR3L , 32GB ROM
Camera	Front 2.0Mp , back 5.0Mp	
Speaker	Size	Built-in 8Ω/0.8W speaker x 2
G-sensor	Built-in	Gravity acceleration sensor
GPS	Built-in	GPS+ Ublox
LCD	Screen (Device) Size	8" 16:10 (ca. Maße in mm: 230x150x17)
	Resolution	1280*800 IPS
	Brightness	400 Nit
Bluetooth	Built-in	BT4.0
Battery	Built-in	8500mAh

### Netzwerkverbindungen

3G	Built-in	3G Dongle (WCDMA/EVDO/TD-SCDMA optional) / built-in WCDMA
WIFI	WIFI module	WIFI 802.11a/b/g/n/ac(2.4G + 5.8G)+BT 4.0
Ethernet Network	Mini USB to Ethernet	Supportive RJ45

### Schnittstellen

Memory card socket	External memory	Support SDHC/SDXC, Support Extend up to 64GB
USB interface	Data transfer supportive	USB 2.0
HDMI interface	Video output	HDMI 1.4a
Keyboard	Input device	Wired / Wireless Supportive
USB patch cord	Standard Configuration	Support HOST


### Software

Operating System	Operating system version	Windows 10 Home (Optional: Windows 10 Professional)
	Language	Multi-language supportive
Standard Accessory	DC charger, Hand Strap, USB cable	

### Optionale Hardware

1D Barcode	optical position	Moto, 5mil UPC/EAN, Bookland EAN ,UCC Coupon Code,ISSN EAN,Code 128,GS1-128,ISBT 128, Code 39,Trioptic Code 39 ,Code 32,Code 93 ,Code 11
2D Barcode	optical position	Moto, 1280*800;5mil PDF417, MicroPDF417, Data Matrix, Data Matrix Inverse Maxicode,QR Code, MicroQR, QR Inverse,Aztec,Aztec Inverses,Han Xin,Han Xin Inverse
NFC	RF Frequency	13.56MHz support 14443A/14443B/15693/18092
	Work range	<10cm
	Main function	Data transfer between MID and NFC, API interface based on JAVA layer low power control consumption P2P data transmission mode card can be read with ISO14443A/B, ISO15693 protocol
4GB RAM		
64GB Rom		
Docking Station		
4G LTE Module	Built-in	HUAWEI (oder vergleichbar) ME909S-120 FDD LTE: Band 1, Band 2, Band 3, Band 4, Band 5, Band 7, Band 8, Band 20, all bands with diversity WCDMA/HSDPA/HSUPA/HSPA+: Band 1, Band 2, Band 5, Band 8, all bands with diversity GSM/GPRS/EDGE: 850 MHz/900 MHz/1800 MHz/1900 MHz

## 10" Rugged Tablet PC



Hardware		
CPU	Type	Intel Cherrytrail(Quad-core ), Z8350 , 1.44Ghz-1.92Ghz
GPU	Type	Intel HD Graphic(Gen7)
Storage	Capacity	2GB DDR3L , 32GB ROM
Camera	Front 2.0Mp , back 5.0Mp	
Speaker	Size	Built-in 8Ω/0.8W speaker x 2
G-sensor	Built-in	Gravity acceleration sensor
GPS	Built-in	GPS+ Ublox
LCD	Screen (Device) Size	10.1" 16:10 (ca. Maße in mm: 275x196x23)
	Resolution	1280*800 IPS
	Brightness	400 Nit
Bluetooth	Built-in	BT4.0
Battery	Built-in	10000mAh
Netzwerkverbindungen		
3G	Built-in	3G Dongle (WCDMA/EVDO/TD-SCDMA optional) / built-in WCDMA
WIFI	WIFI module	WIFI 802.11a/b/g/n(2.4G + 5.8G)+BT 4.0
Ethernet Network	Mini USB to Ethernet	Supportive RJ45
Schnittstellen		
Memory card socket	External memory	Support SDHC/SDXC, Support Extend up to 64GB
USB interface	Data transfer supportive	USB 2.0
HDMI interface	Video output	HDMI 1.4a
Keyboard	Input device	Wired / Wireless Supportive
USB patch cord	Standard Configuration	Support HOST
RJ45	Built-in	RJ45/Ethernet Port
RS232	Built-in	RS232 Output
Software		
Operating System	Operating system version	Windows 10 Home (Optional: Windows 10 Professional)
	Language	Multi-language supportive
Standard Accessory	DC charger, Hand Strap, USB cable	
Optionale Hardware		
Fingerprint	CPU	Inner core:Cotex-M3 (108MHz main frequency,1M Flash Memory,96KB SRAM)
	fingerprint collector	Array of semiconductor fingerprint sensor:FPC1011
	registigation capacity	2000 fingerprints
1D Barcode	optical position	Moto, 5mil UPC/EAN, Bookland EAN ,UCC Coupon Code,ISSN EAN,Code 128,GS1-128,ISBT 128, Code 39,Trioptic Code 39 ,Code 32,Code 93 ,Code 11
2D Barcode	optical position	Honeywell, 1280*800;5mil PDF417, MicroPDF417, Data Matrix, Data Matrix Inverse Maxicode,QR Code, MicroQR, QR Inverse,Aztec,Aztec Inverses,Han Xin,Han Xin Inverse
NFC	RF Frequency	13.56MHz support 14443A/14443B/15693/18092
	Work range	<10cm
	Main function	Data transfer between MID and NFC, API interface based on JAVA layer
		low power control consumption
4GB RAM		
64GB Rom		
Docking Station		
4G LTE Module	Built-in	HUAWEI (oder vergleichbar) ME909S-120 FDD LTE: Band 1, Band 2, Band 3, Band 4, Band 5, Band 7, Band 8, Band 20, all bands with diversity WCDMA/HSDPA/HSUPA/HSPA+: Band 1, Band 2, Band 5, Band 8, all bands with diversity GSM/GPRS/EDGE: 850 MHz/900 MHz/1800 MHz/1900 MHz